Form 3160-3 (September 2001) UNITED STATES	,		FORM APPRO OMB No. 1004 Expires January 3	-0136	
DEPARTMENT OF THE II	5. Lease Serial No.				
BUREAU OF LAND MANA			UTU-74391		
APPLICATION FOR PERMIT TO DI	6. If Indian, Allottee or Tr	ibe Name			
	N/A				
1a. Type of Work: DRHL REENTE	7. If Unit or CA Agreement, Name and No. N/A				
1b. Type of Well:	8. Lease Name and Well No. Federal 10-29-9-16				
Name of Operator Newfield Production Company	711	· · · · · · · · · · · · · · · · · · ·	9. API Well No. 43-013	321120	
3a. Address	3b. Phone No. (include area code	e)	10. Field and Pool, or Explor		
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		- Monameric Cotto	•	
4. Location of Well (Report location clearly and in accordance with At surface NW/SE 2083' FSL 1860' FEL 573 44 At proposed prod. zone 442773	12	11. Sec., T., R., M., or Blk. and Survey or Area NW/SE Sec. 29, T9S R16E			
14. Distance in miles and direction from nearest town or post office*			12. County or Parish	13. State	
Approximatley 24.5 miles southwest of Myton, Utah			Duchesne	UT	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 1860' f/lse, NA f/unit	16. No. of Acres in lease 17. Sp		cing Unit dedicated to this well 40 Acres		
18. Distance from proposed location*	19. Proposed Depth	20 DI MO	BIA Bond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1058'	6019'		UTB000192		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will	start*	23. Estimated duration		
6234' GL	2nd Quarter 2007		Approximately seven (7) days from spud to rig release.		
	24. Attachments				
The following, completed in accordance with the requirements of Onshor	e Oil and Gas Order No.1, shall be	attached to this	s form;		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 	4. Bond to cove Item 20 above 5. Operator certification	er the operation e). ification. ite specific info	ns unless covered by an existin		
25. Signature	Name (Printed/Typed)		, Date		
Marde Cours	Mandie Crozier		11/	16/06	
Regulatory Specialist					
Approved by (Signature)	Name (Printed/Typed)	2 HIII	Date	-29-06	
Title	Office INVIRONMENTAL				
Application approval does not wastant or certify the the applicant holds leperations thereon. Conditions of approval, if any, are attached.	gal or equitable title to those rights	in the subject l	ease which would entitle the ap	plicant to conduct	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


Pederal Approval of this Action is Necessary

*(Instructions on reverse)

RECEIVED NOV 2 2 2006

T9S, R16E, S.L.B.&M.

N89'58'W - 80.04 (G.L.O.) 2639.12' (Measured)



S89°59'E - 80.02 (G.L.O.)


SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (MYTON SW)

9 MILE 10-29-9-16 (Surface Location) NAD 83 $LATITUDE = 40^{\circ} 00' 01.20"$ LONGITUDE = 110° 08' 25.37"

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, 9 MILE 10-29-9-16, LOCATED AS SHOWN IN THE NW 1/4 SE 1/4 OF SECTION 29, T9S, R16E. S.L.B.&M. DUCHESNE COUNTY, UTAH.



(G.L.O.

N0.03,W

THIS IS TO CERTIFY THAT OPHE AS PREPARED FROM FIELD OF MADE BY ME OR UNDER MY SUPETHE SAME ARE TRUE AND SORRE MY KNOWLEDGE AND SELIE No.18937

STATE

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 8-22-06	SURVEYED BY: C.M.
DATE DRAWN: 8-31-06	DRAWN BY: M.W.
REVISED:	SCALE: 1" = 1000'

NEWFIELD PRODUCTION COMPANY FEDERAL #10-29-9-16 NW/SE SECTION 29, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0' - 2210' Green River 2210' Wasatch 6019'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 2210' - 6019' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. <u>MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:</u>

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #10-29-9-16 NW/SE SECTION 29, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #10-29-9-16 located in the NW 1/4 SE 1/4 Section 29, T9S, R16E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 11.0 miles \pm to it's junction with an existing road to the northeast; proceed northeasterly and then southwesterly - 11.1 miles \pm to it's junction with the beginning of the proposed access road; proceed in a northeasterly direction along the proposed access road - 0.8 miles \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. <u>LOCATION OF EXISTING WELLS</u>

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. <u>METHODS FOR HANDLING WASTE DISPOSAL</u>

Please refer to the Monument Butte Field SOP.

8. <u>ANCILLARY FACILITIES</u>

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

 SURFACE OWNERSHIP - Bureau Of Land Management (Proposed location and access roads leading to).

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #06-175. Paleontological Resource Survey prepared by, Wade E. Miller, 4/26/06. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 4,010' of disturbed area be granted in Lease UTU-74391 to allow for construction of the planned access road. Refer to Topographic Map "B". For the planned access road a temporary width of 60' will be needed for construction purposes with a permanent width of 30' and a running surface of 18'. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 9,330' of disturbed area be granted in Lease UTU-74391 to allow for construction of the proposed gas lines. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 6" gas gathering line, and a buried 3" poly fuel gas line and 30' wide upon completion of the proposed gas lines. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.


Surface Flow Line

For all new wells, Newfield Exploration requests that a 30' Right of way be granted to allow for construction of up to a 14" bundled pipe. **Refer to Topographic Map "D"** for the proposed location of the proposed flow line. Flow lines will be tan and will be constructed using the following procedures:

Clearing and Grading: the proposed flow line will be placed on the surface of the ground. As such no grading or clearing will be needed. The flow line will be centered staked every 200 feet prior to the installation. The flow line will be as close to the access road as possible without interfering with the normal road travel, or road maintenance. All flow lines will be buried under roads at crossings and will cross roads only where existing gas pipeline corridors exist.

<u>Installation</u> for portions along existing roads, lengths of pipe will be laid in the barrow ditch, welded together and moved into place. For lines that go cross-country minimal access will be needed only for maintenance purpose. It is in the best interest of Newfield Exploration to avoid wet and saturated ground that would cause ruts greater than 3 inches in depth. Disturbed areas will be reclaimed with in 120 days of the end of the installation.

<u>Termination and final restoration:</u> A notice of abandonment will be filed with the BLM for final recommendations regarding surface reclamation. After abandonment the flow line will be removed,



Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

None For the Proposed Federal 10-29-9-16

Reserve Pit Liner

A 12 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Indian Ricegrass

Oryzopsis Hyemoides

10 lbs/acre

Needle and Thread Grass

Stipa Comata

5 lbs/acre

Details of the On-Site Inspection

The proposed Federal #10-29-9-16 was on-sited on 9/26/06. The following were present; Kim Kettle (Newfield Production), Charley Sharp (Bureau of Land Management), and Brandon McDonald (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name:

Dave Allred

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:


(435) 646-3721

Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #10-29-9-16 NW/SE Section 29, Township 9S, Range 16E: Lease UTU-74391 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by US Specialty Insurance #B001832.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and


subcontractors in conformity with this plan and the						
approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.						
	\mathcal{N}					
11/16/06	I dendition					
Date	Mandie Crozier					
	Regulatory Specialist					
	Newfield Production Company					





NEWFIELD PRODUCTION COMPANY


CROSS SECTIONS

9 MILE 10-29-9-16









1" = 50'

STA. 0+00

ESTIMATED EARTHWORK QUANTITIES
(No Shrink or swell adjustments have been used)
(Expressed in Cubic Yards)


	V = -1			
ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	4,550	4,550	Topsoil is not included	0
PIT	640	0	in Pad Cut	640
TOTALS	5,190	4,550	1,013	640

NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1

SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY	M. W.	DATE:	8-31-06

NEWFIELD PRODUCTION COMPANY TYPICAL RIG LAYOUT

9 MILE 10-29-9-16



SURVEYED BY: C.M.	SCALE:	1" = 50'	/Tri $State$ (435) 781-2501
DRAWN BY: M.W.	DATE:	8-31-06	/ $Land$ $Surveying,$ $Inc.$ 180 NORTH VERNAL AVE. VERNAL, UTAH 84078


Rewfield Production Company Proposed Site Facility Diagram


Federal 10-29-9-16


NW/SE Sec. 29, T9S, R16E


Duchesne County, Utah


UTU-74391












ų	10	***	12	7		a	50	11	12			9	10		12	(F.)	1	9	Newfield Well Location Surface Spi	
10	15	14	17	18	17	14 T45	15 S-R2W	14	13	1	a 17	- us	S-R1W		12	10	17	10	Drilling Whiting on C Producing C Producing C	Oil Well Sea Well
21	22	74 S-R3\	/V 24	19	20	21	22	23	24	As As As	а 30	21	22	150	23 20	19	17855	T43-R1	Viater inject Dry Hole Temporarity Plugged & A Shut in	Abandonad
29	27	26	25	30	20 20 2	20 2	Femalo P	2 1 62 52 5	Annoquine Skette (AS N24 y 1-3x	18 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	185-R1 20 620 620 620	50 1 180 621 2	22 2022 522 525 Car 122 022	n in in	28 29 pulsech 24 25:034 25:04 25:04 25:07	30	20	28	 ✓ Water Soun ✓ Water Dispo ✓ Injection Str UnifOutlines 	sal Well
23	ы	35	430 25	19 22 T8S-R1	29 Too	15-21 S-20	27 037 6	1633 (243 1632 (34	la side da da da da da da da side da side da side da da da	1878 Sin Jan 1870 (se Sin Sin (se sin Sin Handar (se	en la la la en en inime	10 5 20 5 20 5 20 5 20 5 20 5 20 5 20 5		29 250 (c) 184 (c) 13 18 (c) 0	1500 11-20-15 1525 15-20-15 15-20 12-20 15-20 12-20	30 25-30	S-R18E 16 16 16 16 16 16 16 16 16 16 16 16 16 16 16 16 1	29 1 29 1029	21 15-21 21 15-21 25 15-25 26 21	-
58	R3W	25m 25	20 KSs West	Paint West 4-52 32 5.52	in i	233 233 (30) 534	531 534 531 1 631 531 631 7 1538 531	de la la sia	in the last of the state of the	201 10 10 101 201 101 101 101 201 1101 101	1 62 62 62 10 10 62	(1) (1) (2) (2) (2) (2) (2) (2)	11 15 15 15 15 15 15 15 15 15 15 15 15 1	วัก อ้าร	1-25 10-35 15-35 1-25 10-35 15-35	51 631 731631 51 *1631 631		33	34 15-413-23 234 15-413-22 2440 15-413-22	25 da 5 3 da 5 3 da
ı	10 52	1.00	6 50 60 60 60 60 60 60 60 60 60 60 60 60 60	10 2347 35 10 2347 35	1,463 1,464	2140 140 (4 45)	32 to	1 2 2 4	en (n ministra en en ministra	ta da sta	1 16 16 16 16 16 16 16 16 16 16 16 16 16	146 24 6	, 26 2 3 4	2 1/2 1/2 1/2 2 1/2 1/2 2 1/2 1/2 1/2 2 1/2 1/2 1/2 2 1/2 1/2 1/2	154 154 154 154 154 154		* . t	34 24 14 64 14 64 114 184 84 144	1 10 20	- 1
10	15 5-10 5-1 8-10 5-1 10 5-1 10 5-1	4.1	12 2-12 1-12 1-12 12 6-12 1-12 6-12 7-13 12 11-12 (-11-12	£ 27 17 #	50 60 60	21.60	6-10 /10 /H	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		sule to be	Sa the fee she	ราชาวาราชาชาชาชาชาชาชาชาชาชาชาชาชาชาชาชา	10 10 10 10 10 10 10 10 10 10 10 10 10 1	11 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 12 12 10 1	20 00 00 00 00 00 00 00 00 00 00 00 00 0	is is		10 610	11 15
	75 (18 41 15/15 511 51 17/15 511 51	is sine 2014 1-14 Is 1614 ₂₁₄ 1614 17 1411-14 1814 17	35 545 242 445 12 643 245 143 64 145 165 164	nan caanala su	517 1.6.32 17	10 15	Au lans	Telus Tolus di dis estadi dis 184 disedi dis 184 dise	St. 69 29 63	111 1/10/11	U-U 22.17 12-17 42.17	165 176 078 5 5108 10°9 54 178 178 178 178 18	18 6 12 F18 12 11-19 10 15 12	4-14 4-1	15 15 15 15 15 15 15 15 15 15 15 15 15 1	10 10 10 10 10 10 10 10 1	หร้าง หร้าง หร้าง หร้าง	316 136 10 1136 336	15	33/4
	11-15 16-15 11-12-15 16-22 16-22 16-22 16-22	10 10 10 10 10 10 10 10 10 10 10 10 10 1	154 354 354 154 154 154 154 154 154	19	20 22-20	35w ≠ 45 R16E		550	da 24	15.1 19	281 239 20	21		23 + 5-23	24	21-Tay 19 19 42-747 42-747	Nov 20 solar	21 T93	3-R18E	252 23
dai	n .	a T	T9S-R1 5F	20	29	28	37	# 126 28 A28	21/58Y 28	30	29	28	27	28	25	55n	elas 22 des	28		20 2
	34	35	38	21	33	32	24	25	30	3t	32	22	34	35	28	31	22	33	NEWFIE	AINS
	S-RI	5E ₂	1	ē	5	4	3	T10S-R	165	T10	S-R17E		3	2	1	T10	S-R18E	Alleria Pri School State Denier C	Durhame & Vietah (on hairing from this 1000 from the 1000 (647 (643) 513	insection hears 14.00



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

1 8 2

CULTURAL RESOURCE INVENTORY OF NEWFIELD EXPLORATION'S BLOCK PARCEL IN TOWNSHIP 9S, RANGE 16E, SECTIONS 27, 28, 29 AND 30 DUCHESNE COUNTY, UTAH

By:

Jenn Mueller

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Newfield Exploration Company Rt. 3 Box 3630 Myton, UT 84052

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 06-175

September 8, 2006

United States Department of Interior (FLPMA)
Permit No. 06-UT-60122

State of Utah Antiquities Project (Survey)
Permit No. U-06-MQ-1111b

NEWFIELD PRODUCTION COMPANY

PALEONTOLOGICAL SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, DUCHESNE AND UINTAH COUNTIES, UTAH

NE 1/4, NW 1/4, Section 33, T 9 S, R 18 E; Section 19, T 9 S, R 17 E [entire section excluding the NW 1/4, NW 1/4]; Section 27, T 9 S, R 16 E [entire section excluding the NW 1/4, NW 1/4], Section 28, T 9 S, R 16 E [entire section]; Section 29, T 9 S, R 16 E [entire section]; Section 30, T 9 S, R 16 E [entire section].

REPORT OF SURVEY


Prepared for:

Newfield Production Company

Prepared by:

Wade E. Miller Consulting Paleontologist April 26, 2006

APD RECEIVED: 11/22/2006	API NO. ASSIGNED: 43-013-33430						
WELL NAME: FEDERAL 10-29-9-16 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER	PHONE NUMBER: 435-646-3721						
PROPOSED LOCATION: NWSE 29 090S 160E SURFACE: 2083 FSL 1860 FEL BOTTOM: 2083 FSL 1860 FEL COUNTY: DUCHESNE LATITUDE: 40.00046 LONGITUDE: -110.1397 UTM SURF EASTINGS: 573441 NORTHINGS: 44279 FIELD NAME: UNDESIGNATED (2							
LEASE NUMBER: UTU-74391 SURFACE OWNER: 1 - Federal	PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO						
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTB000192) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. MUNICIPAL) RDCC Review (Y/N) (Date:) Fee Surf Agreement (Y/N) Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3. Unit: R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill						
SOP, Spirate GW STIPULATIONS: 1. Jedys Approx 2. Spicins Shir							





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR.

Governor

GARY R. HERBERT Lieutenant Governor

November 29, 2006

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re: Federal 10-29-9-16 Well, 2083' FSL, 1860' FEL, NW SE, Sec. 29, T. 9 South, R. 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-33430.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc:

Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Production Company						
Well Name & Number	Federal	10-29-9-16					
API Number:	43-013-	43-013-33430					
Lease:	UTU-7	UTU-74391					
Location: NW SE	Sec. 29	T. 9 South	R 16 Fast				

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.



Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

January 8, 2008

Mandie Crozier Newfield Production Company Rt. #3 Box 3630 Myton, UT 84052

43.013.33430 29 95 16E

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective January 8, 2008.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Nonua-Diason

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



Page 2 January 8, 2008 Subject:

> 4304736144 FEDERAL 2-18-9-18 4304736145 FEDERAL 6-18-9-18 4304736146 FEDERAL 8-18-9-18 4304736147 FEDERAL 10-18-9-18 4304736148 FEDERAL 12-18-9-18 4304736149 FEDERAL 14-18-9-18 4301333398 FEDERAL 13-28-9-16 4301333402 FEDERAL 9-28-9-16 4301333406 FEDERAL 5-28-9-16 4301333426 FEDERAL 6-29-9-16 4301333428 FEDERAL 8-29-9-16 4301333430 FEDERAL 10-29-9-16 4301333431 FEDERAL 11-29-9-16 4301333434 FEDERAL 14-29-9-16 4301333435 FEDERAL 15-29-9-16 4301333436 FEDERAL 16-29-9-16 4301330435 GB FED 7-29R-8-17 4301333455 FEDERAL 5-30-9-16 4301333457 FEDERAL 7-30-9-16 4301333458 FEDERAL 10-30-9-16 4301333427 FEDERAL 7-29-9-16 4301333429 FEDERAL 9-29-9-16 4301333432 FEDERAL 12-29-9-16 4301333433 FEDERAL 13-29-9-16